according to Regulation (EC) No. 1907/2006 - GB



Chemlease® MPP 712 EZ

Version Revision Date: Date of last issue: 16.08.2017 Print Date: 2.4 23.11.2017 Date of first issue: 31.03.2013 23.11.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Chemlease® MPP 712 EZ

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Sealing agent

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Gößl + Pfaff GmbH GmbH

Münchener Straße 13 D-85123 Karlskron/Brautlach Tel.: 0049 (0) 8450 / 932-0 Fax.: 0049 (0) 8450 / 932-13

Management: Mr. Gößl, Mr. Pfaff

E-mail address of person

responsible for the SDS

National contact : www.goessl-pfaff.de

1.4 Emergency telephone number

Emergency telephone

number

: 0049 (0) 8450 / 932-0

info@goessl-pfaff.de

Opening times
Monday till Thursday:
8.00 a.m.-5.00 p.m.
Friday: 8.00 a.m.-3.00 p.m.

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2 H225: Highly flammable liquid and vapour.

Acute toxicity, Category 4 H302: Harmful if swallowed.

Skin irritation, Category 2 H315: Causes skin irritation.

Specific target organ toxicity - single ex-

posure, Category 2, Central nervous

system

H371: May cause damage to organs.

Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters air-

ways.

Chronic aguatic toxicity, Category 2 H411: Toxic to aguatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



according to Regulation (EC) No. 1907/2006 - GB



## Chemlease® MPP 712 EZ

Version Revision Date: Date of last issue: 16.08.2017 Print Date: 2.4 23.11.2017 Date of first issue: 31.03.2013 23.11.2017

Hazard pictograms









Signal word Danger

Hazard statements H225 Highly flammable liquid and vapour.

> Harmful if swallowed. H302

H304 May be fatal if swallowed and enters air-

ways.

H315 Causes skin irritation.

H371 May cause damage to organs (Central

nervous system).

Toxic to aquatic life with long lasting effects. H411

Precautionary statements Prevention:

> P210 Keep away from heat, hot surfaces, sparks,

> > open flames and other ignition sources. No

P273 Avoid release to the environment. P240 Ground/bond container and receiving

equipment.

P261 Avoid breathing mist or vapours.

P280 Wear protective gloves/ protective clothing/

eye protection/ face protection.

Response:

P301 + P330 + P331 + P310 IF SWALLOWED: Rinse

> mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

IF ON SKIN: Wash with plenty of soap and

P302 + P352

water.

P308 + P311 IF exposed or concerned: Call a POISON

CENTER/doctor.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Hazardous components which must be listed on the label:

Hydrocarbons, C7-C9, isoalkanes methanol

#### **Additional Labelling**

**EUH208** Contains dibutyltin dilaurate. May produce an allergic reaction.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006 - GB



# Chemlease® MPP 712 EZ

VersionRevision Date:Date of last issue: 16.08.2017Print Date:2.423.11.2017Date of first issue: 31.03.201323.11.2017

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

## **Hazardous components**

Chemical name	CAS-No. EC-No.	Classification	Concentration limits	Concentration (% w/w)
	LO-NO.		M-Factor	(70 W/W)
	Index-No.		Notes	
	Registration number			
o-xylene	95-47-6	Flam. Liq.3; H226		>= 30 - < 50
	202-422-2	Acute Tox.4; H332 Acute Tox.4; H312		
	202-422-2	Skin Irrit.2; H315		
	601-022-00-9			
hexamethyldisiloxane	107-46-0	Flam. Liq.2; H225		>= 20 - < 25
	202 402 7	Aquatic Acute1; H400	M-Factor: 1/	
	203-492-7	Aquatic Chronic1;		
		H410		
	01-2119496108-31-			
	XXXX			
Hydrocarbons, C7-C9,		Flam. Liq.2; H225		>= 10 - < 20
isoalkanes	921-728-3	Skin Irrit.2; H315		
		STOT SE3; H336 Asp. Tox.1; H304		
	01-2119471305-42-	Aquatic Chronic2;		
	XXXX	H411		
methanol	67-56-1	Flam. Liq.2; H225	>= 10 %	>= 3 - < 10
	000 050 0	Acute Tox.3; H301	STOT SE1,	
	200-659-6	Acute Tox.3; H331 Acute Tox.3; H311	H370 3 - < 10 %	
	603-001-00-X	STOT SE1; H370	STOT SE2,	
	000 001 00 70	0.0.02.,	H371	
octamethyltrisiloxane	107-51-7	Flam. Liq.3; H226		>= 1 - < 10
ociamentylinalioxane	101-01-1	1 Idili. Liq.5, 11220		-13 10
	203-497-4			
	04 0440070040 04			
	01-2119970219-31- xxxx			
3-butoxypropan-2-ol	5131-66-8	Flam. Liq.3; H226		>= 1 - < 10
7), 3p 3.		Skin Irrit.2; H315		
	225-878-4	Eye Irrit.2; H319		
	200 250 20 2			
	603-052-00-8			

according to Regulation (EC) No. 1907/2006 - GB



## Chemlease® MPP 712 EZ

VersionRevision Date:Date of last issue: 16.08.2017Print Date:2.423.11.2017Date of first issue: 31.03.201323.11.2017

dibutyltin dilaurate	77-58-7	Skin Corr.1A; H314	M-Factor: 1/	>= 0.1 - < 0.25
	201-039-8	Skin Sens.1; H317 Muta.2; H341 Repr.1B; H360 STOT SE1; H370 STOT RE1; H372 Aquatic Acute1; H400 Aquatic Chronic1; H410		

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial respira-

tion.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with soap and plenty of water.

Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes. Seek medical advice.

If swallowed : If accidentally swallowed obtain immediate medical attention.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear. Do NOT induce vomiting.

Never give anything by mouth to an unconscious person. Aspiration hazard if swallowed - can enter lungs and cause

damage.

Move the victim to fresh air.

Rinse mouth with water.

according to Regulation (EC) No. 1907/2006 - GB



# Chemlease® MPP 712 EZ

VersionRevision Date:Date of last issue: 16.08.2017Print Date:2.423.11.2017Date of first issue: 31.03.201323.11.2017

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : None known.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Fire may cause evolution of:

Carbon oxides Metal oxides

Do not let product enter drains.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

## 5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. In the case of respirable dust and/or fumes, use self-contained breathing apparatus. Exposure to decomposition products may be a hazard to

health.

Further information : Standard procedure for chemical fires.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains. Cool containers/tanks with water spray.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist.



according to Regulation (EC) No. 1907/2006 - GB



Chemlease® MPP 712 EZ

VersionRevision Date:Date of last issue: 16.08.2017Print Date:2.423.11.2017Date of first issue: 31.03.201323.11.2017

Refer to protective measures listed in sections 7 and 8.

#### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible ab-

sorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13). Non-sparking tools should be used.

#### 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : Use only in an area containing explosion proof equipment.

Do not use in areas without adequate ventilation.

Do not breathe vapours or spray mist.

In case of insufficient ventilation, wear suitable respiratory

equipment.

Avoid contact with skin and eyes. For personal protection see section 8.

Keep away from fire, sparks and heated surfaces.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash hands and face before breaks and immediately after

handling the product.

Ensure all equipment is electrically grounded before beginning

transfer operations.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest.

Do not use sparking tools.

Do not enter areas where used or stored until adequately ven-

tilated.

Do not repack.

Do not re-use empty containers.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use. Avoid inhalation of vapour or mist.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

according to Regulation (EC) No. 1907/2006 - GB



# Chemlease® MPP 712 EZ

VersionRevision Date:Date of last issue: 16.08.2017Print Date:2.423.11.2017Date of first issue: 31.03.201323.11.2017

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep container closed when not in use. Keep in a cool place away from oxidizing agents. Keep in a dry, cool and well-ventilated place. To maintain product quality, do not store in heat or direct sunlight. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

## 7.3 Specific end use(s)

Specific use(s) : Consult the technical guidelines for the use of this sub-

stance/mixture.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
o-xylene	95-47-6	TWA	50 ppm 221 mg/m3	2000/39/EC
Further information	Identifies the	possibility of significa	ant uptake through the skin, I	ndicative
		STEL	100 ppm 442 mg/m3	2000/39/EC
Further information	Identifies the	possibility of significa	ant uptake through the skin, I	ndicative
methanol	67-56-1	TWA	200 ppm 260 mg/m3	2006/15/EC
Further information	Indicative, Ide	ntifies the possibility	of significant uptake through	the skin
		TWA	200 ppm 266 mg/m3	GB EH40
Further information	Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		STEL	250 ppm 333 mg/m3	GB EH40
Further information	Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
dibutyltin dilaurate	77-58-7	TWA	0.1 mg/m3 (Tin)	GB EH40
Further information	Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		STEL	0.2 mg/m3 (Tin)	GB EH40
Further information	Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			



according to Regulation (EC) No. 1907/2006 - GB



## Chemlease® MPP 712 EZ

VersionRevision Date:Date of last issue: 16.08.2017Print Date:2.423.11.2017Date of first issue: 31.03.201323.11.2017

#### 8.2 Exposure controls

#### **Engineering measures**

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

#### Personal protective equipment

Eye protection : Safety glasses with side-shields conforming to EN166

Hand protection

Material : Fluorinated rubber

Protective index : Class 1

Remarks : Wear protective gloves. The selected protective gloves have

to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for

each case.

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Filter type A-P

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the spe-

cific work-place.

#### **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : colourless

Odour : solvent-like

Odour Threshold : No data available

pH : Not applicable

Melting point/range : No data available

Boiling point/boiling range : 61 - 150 °C

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® MPP 712 EZ

Version Revision Date: Date of last issue: 16.08.2017 Print Date: 2.4 23.11.2017 Date of first issue: 31.03.2013 23.11.2017

Flash point : -2 °C

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit : 36 %(V)

Lower explosion limit : 1 %(V)

Vapour pressure : No data available

Relative vapour density : No data available

Density : 0.84 g/cm3

(20 °C)

Bulk density : No data available

Solubility(ies)

Water solubility : immiscible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : > 200 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : < 7 mm2/s (40 °C)

Explosive properties : Not explosive

Oxidizing properties : No data available

9.2 Other information

Sublimation point : No data available

Self-ignition : No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No hazards to be specially mentioned.



according to Regulation (EC) No. 1907/2006 - GB



Chemlease® MPP 712 EZ

Version Revision Date: Date of last issue: 16.08.2017 Print Date: 2.4 23.11.2017 Date of first issue: 31.03.2013 23.11.2017

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Strong sunlight for prolonged periods.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

#### 10.6 Hazardous decomposition products

>150 °C small quantities of formaldehyde may be formed.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

**Product:** 

Acute oral toxicity : Acute toxicity estimate: 1,740 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

#### Components:

o-xylene:

Acute oral toxicity : LD50 Oral (Rat, male): 6,602 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 10 - 20 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 1,000 - 2,000 mg/kg

hexamethyldisiloxane:

Acute inhalation toxicity : LC50 (Rat): 106 mg/l

Exposure time: 4 h
Test atmosphere: vapour



according to Regulation (EC) No. 1907/2006 - GB



Chemlease® MPP 712 EZ

VersionRevision Date:Date of last issue: 16.08.2017Print Date:2.423.11.2017Date of first issue: 31.03.201323.11.2017

Hydrocarbons, C7-C9, isoalkanes:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

methanol:

Acute oral toxicity : Acute toxicity estimate: 100 mg/kg

Method: Converted acute toxicity point estimate

Acute inhalation toxicity : LC50 (Rat): 131.25 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Assessment: The component/mixture is toxic after short term

inhalation.

Acute dermal toxicity : Acute toxicity estimate: 300 mg/kg

Method: Converted acute toxicity point estimate

octamethyltrisiloxane:

Acute oral toxicity : LD50 Oral (Rat): > 2,000 mg/kg

3-butoxypropan-2-ol:

Acute oral toxicity : LD50 Oral (Rat): > 2,000 mg/kg

dibutyltin dilaurate:

Acute oral toxicity : LD50 Oral (Rat): > 2,000 mg/kg

Skin corrosion/irritation

**Product:** 

Remarks: Irritating to skin.

Components:

o-xylene:

Result: Skin irritation

Hydrocarbons, C7-C9, isoalkanes:

Result: Skin irritation

3-butoxypropan-2-ol:

Result: Skin irritation

dibutyltin dilaurate:

Result: Extremely corrosive and destructive to tissue.

according to Regulation (EC) No. 1907/2006 - GB



## Chemlease® MPP 712 EZ

Version Revision Date: Date of last issue: 16.08.2017 Print Date: 2.4 Date of first issue: 31.03.2013 23.11.2017 23.11.2017

## Serious eye damage/eye irritation

#### **Product:**

Remarks: Contact with eyes may cause irritation.

#### **Components:**

## 3-butoxypropan-2-ol:

Result: Eye irritation

#### Respiratory or skin sensitisation

#### **Product:**

Remarks: This information is not available.

## **Components:**

#### dibutyltin dilaurate:

Result: May cause sensitisation by skin contact.

#### Germ cell mutagenicity

#### **Product:**

Genotoxicity in vitro : Remarks: No data available

: Remarks: No data available Genotoxicity in vivo

## **Components:**

#### dibutyltin dilaurate:

sessment

Germ cell mutagenicity- As- : In vitro tests showed mutagenic effects

#### Carcinogenicity

## **Product:**

Remarks: No data available

#### Reproductive toxicity

#### **Product:**

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

: Remarks: No data available



according to Regulation (EC) No. 1907/2006 - GB



## Chemlease® MPP 712 EZ

VersionRevision Date:Date of last issue: 16.08.2017Print Date:2.423.11.2017Date of first issue: 31.03.201323.11.2017

#### Components:

#### dibutyltin dilaurate:

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and fertil-

ity, and/or on development, based on animal experiments

#### STOT - single exposure

#### **Components:**

#### Hydrocarbons, C7-C9, isoalkanes:

Assessment: May cause drowsiness or dizziness.

## dibutyltin dilaurate:

Assessment: Causes damage to organs.

#### STOT - repeated exposure

#### Components:

#### dibutyltin dilaurate:

Exposure routes: Inhalation

Assessment: Causes damage to organs through prolonged or repeated exposure.

#### Repeated dose toxicity

#### **Product:**

Remarks: This information is not available.

## **Aspiration toxicity**

#### **Product:**

May be fatal if swallowed and enters airways.

#### **Components:**

#### Hydrocarbons, C7-C9, isoalkanes:

May be fatal if swallowed and enters airways.

#### **Further information**

#### **Product:**

Remarks: Risks of irreversible effects after a single exposure.

Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® MPP 712 EZ

Version Revision Date: Date of last issue: 16.08.2017 Print Date: Date of first issue: 31.03.2013 23.11.2017 2.4 23.11.2017

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Product:** 

Toxicity to fish Remarks: Harmful to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Remarks: No data available Toxicity to algae

Toxicity to microorganisms

Remarks: No data available

**Components:** 

hexamethyldisiloxane:

Toxicity to algae ErC50 (Selenastrum capricornutum (green algae)): > 0.93

Exposure time: 96 h

M-Factor (Acute aquatic tox-

icity)

1

Hydrocarbons, C7-C9, isoalkanes:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h

dibutyltin dilaurate:

M-Factor (Acute aquatic tox- : 1

icity)

**Ecotoxicology Assessment** 

Acute aquatic toxicity Very toxic to aquatic life.

Chronic aquatic toxicity Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

**Product:** 

Remarks: No data available Biodegradability

Physico-chemical removabili- : Remarks: No data available

ty

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® MPP 712 EZ

Version Revision Date: Date of last issue: 16.08.2017 Print Date: 2.4 23.11.2017 Date of first issue: 31.03.2013 23.11.2017

Components:

o-xylene:

Biodegradability : Result: Not readily biodegradable.

Hydrocarbons, C7-C9, isoalkanes:

Biodegradability : Result: Not readily biodegradable.

methanol:

Biodegradability : Result: Readily biodegradable.

octamethyltrisiloxane:

Biodegradability : Remarks: Not applicable

3-butoxypropan-2-ol:

Biodegradability : Result: Readily biodegradable.

dibutyltin dilaurate:

Biodegradability : Result: Not readily biodegradable.

12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

**Components:** 

o-xylene:

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <=

4).

Partition coefficient: n-

octanol/water

log Pow: 3.12

hexamethyldisiloxane:

Bioaccumulation : Remarks: The product may be accumulated in organisms.

Partition coefficient: n-

octanol/water

Remarks: Not applicable

Hydrocarbons, C7-C9, isoalkanes:

Bioaccumulation : Remarks: No data available

Partition coefficient: n- : Remarks: No data available

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® MPP 712 EZ

Version Revision Date: Date of last issue: 16.08.2017 Print Date: 2.4 23.11.2017 Date of first issue: 31.03.2013 23.11.2017

octanol/water

methanol:

Bioaccumulation : Bioconcentration factor (BCF): 1.0

octamethyltrisiloxane:

Bioaccumulation Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

Remarks: Not applicable

3-butoxypropan-2-ol:

Bioaccumulation Bioconcentration factor (BCF): < 100

Partition coefficient: n-

octanol/water

log Pow: 1.2

dibutyltin dilaurate:

Bioaccumulation Bioconcentration factor (BCF): 31

Partition coefficient: n-

octanol/water

Pow: ca. 3

# 12.4 Mobility in soil

**Product:** 

Mobility Remarks: No data available

Distribution among environ-

mental compartments

Remarks: No data available

#### 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment This substance/mixture contains no components considered

> to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

#### 12.6 Other adverse effects

**Product:** 

Additional ecological informa: Harmful to aquatic life with long lasting effects.

tion

according to Regulation (EC) No. 1907/2006 - GB



## Chemlease® MPP 712 EZ

VersionRevision Date:Date of last issue: 16.08.2017Print Date:2.423.11.2017Date of first issue: 31.03.201323.11.2017

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Waste codes should be assigned by the user based on the

application for which the product was used.

Contaminated packaging : Empty containers can be landfilled, when in accordance with

the local regulations.

# **SECTION 14: Transport information**

#### 14.1 UN number

ADR : UN 1993 IMDG : UN 1993 IATA : UN 1993

## 14.2 UN proper shipping name

ADR : FLAMMABLE LIQUID, N.O.S.

(xylene, hexamethyldisiloxane)

**IMDG** : FLAMMABLE LIQUID, N.O.S.

(xylene, hexamethyldisiloxane)

IATA : Flammable liquid, n.o.s.

(xylene, hexamethyldisiloxane)

## 14.3 Transport hazard class(es)

 ADR
 : 3

 IMDG
 : 3

 IATA
 : 3

#### 14.4 Packing group

## ADR

Packing group : II
Classification Code : F1
Hazard Identification Number : 33
Labels : 3
Tunnel restriction code : (D/E)

**IMDG** 

Packing group : II
Labels : 3
EmS Code : F-E,, S-E

IATA (Cargo)



according to Regulation (EC) No. 1907/2006 - GB



Chemlease® MPP 712 EZ

Version Revision Date: Date of last issue: 16.08.2017 Print Date: 2.4 23.11.2017 Date of first issue: 31.03.2013 23.11.2017

364

353

Packing instruction (cargo :

aircraft)

Packing instruction (LQ) : Y341
Packing group : II

Labels : Flammable Liquids

IATA (Passenger)

Packing instruction (passen:

ger aircraft)

Packing instruction (LQ) : Y341
Packing group : II

Labels : Flammable Liquids

14.5 Environmental hazards

**ADR** 

Environmentally hazardous : yes

**IMDG** 

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : no

IATA (Cargo)

Environmentally hazardous : no

14.6 Special precautions for user

No special precautions required.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC)

Schedules of Toxic Chemicals and Precursors

: Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

dibutyltin dilaurate

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH),

Article 57).

REACH - List of substances subject to authorisation : Not applicable

according to Regulation (EC) No. 1907/2006 - GB



# Chemlease® MPP 712 EZ

VersionRevision Date:Date of last issue: 16.08.2017Print Date:2.423.11.2017Date of first issue: 31.03.201323.11.2017

(Annex XIV)

Regulation (EC) No 1005/2009 on substances that dep- : Not applicable

lete the ozone layer

Regulation (EC) No 850/2004 on persistent organic pol- : Not applicable

lutants

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

P5c FLAMMABLE LIQUIDS Quantity 1 Quantity 2 Flammable Liquids 5,000 t 50,000 t

E2 ENVIRONMENTAL 200 t 500 t

**HAZARDS** 

22 Methanol 500 t 5,000 t

Seveso II - Directive 2003/105/EC amending Council Directive 96/82/EC on the control of major-

accident hazards involving dangerous substances

7b Highly flammable 5,000 t 50,000 t

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 82.18 %

Remarks: VOC content excluding water

#### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

## 15.2 Chemical safety assessment

This information is not available.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H225 : Highly flammable liquid and vapour. H226 : Flammable liquid and vapour.

H301 : Toxic if swallowed.

H304 : May be fatal if swallowed and enters airways.

H311 : Toxic in contact with skin. H312 : Harmful in contact with skin.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.

H331 : Toxic if inhaled.

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® MPP 712 EZ					
Version 2.4	Revision Date: 23.11.2017	Date of last issue: 16.08.2017 Print Date: Date of first issue: 31.03.2013 23.11.2017			
H332 H336 H341 H360 H370		<ul> <li>Harmful if inhaled.</li> <li>May cause drowsiness or dizziness.</li> <li>Suspected of causing genetic defects.</li> <li>May damage fertility or the unborn child.</li> <li>Causes damage to organs.</li> <li>Causes damage to organs through prolonged or repeated</li> </ul>			
H400 H410 H411	)	<ul> <li>exposure if inhaled.</li> <li>Very toxic to aquatic life.</li> <li>Very toxic to aquatic life with long lasting effects.</li> <li>Toxic to aquatic life with long lasting effects.</li> </ul>			

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Classification of the mixture:

Classification procedure:

Flam. Liq. 2 H225

Based on product data or assessment

according to Regulation (EC) No. 1907/2006 - GB



Chemlease® MPP 712 EZ					
Version 2.4	Revision Date: 23.11.2017	Date of last issue Date of first issue		Print Date: 23.11.2017	
Acute	Tox. 4	H302	Calculation	on method	
Skin I	rrit. 2	H315	Calculation	on method	
STOT	SE 2	H371	Calculation	on method	
Asp. 7	Гох. 1	H304	Based on	product data or assessment	
Aquat	ic Chronic 2	H411	Calculation	on method	